

RADIOLOGY GROUND RULES

(Including Nuclear Medicine and Diagnostic Ultrasound)

1. **DUPLICATION OF X-RAYS:** Every attempt should be made to minimize the number of x-rays taken. The attending health care provider or any other person or institution having possession of x-rays, which pertain to the patient and are deemed to be needed for diagnostic or treatment purposes, should make those x-rays available upon request. No payments shall be made for additional x-rays when recent x-rays are available, except when the charge is supported by adequate information regarding the need to perform another x-ray.
2. **PHOTOGRAPHIC MEDIA:** The use of photographic media or imaging is not reported separately but is considered to be a component of the basic procedure and shall not merit any additional payment.
3. **XERORADIOGRAPHY:** Imaging performed by this process shall have the same Maximum Allowable Fees as those listed for conventional x-ray procedures of the same anatomical area and views.
4. **UNIT VALUES:** The Unit Values contained within this fee schedule include both the "professional component" and the "technical component". Identification of a service or procedure by its five digit code, without pertinent modifiers, indicates that the services provided includes both the professional and technical components.

The **professional component** includes the examination of the patient when indicated, performance or supervision of the procedure, interpretation and written report of the examination including procedure results (e.g., x-ray images), and consultation with the referring health care provider. To identify a charge for the professional component only, see Appendix A - Modifiers for modifier -26. **The percentage is shown in the "PC/TC" column of this fee schedule.**

The **technical component** includes the charges for personnel, materials and other supplies, and space, equipment, and other facilities, but excludes the cost of radioisotopes. To identify a charge for the technical component only, see Appendix A - Modifiers for modifier -TC. **The percentage is shown in the "PC/TC" column of this fee schedule.**

Hospital outpatient facilities and ambulatory surgical centers must specify, by use of modifiers, when only the technical component or the professional component is provided.

5. **SERVICES PROVIDED BY A HOSPITAL OUTPATIENT FACILITY AND/OR AMBULATORY SURGICAL CENTER:** For any radiology service(s) provided by a hospital outpatient facility and/or ambulatory surgical center, reimbursement for said service is to be limited to the maximum allowable payment contained within this section of the Fee Schedule.
6. **NECESSITY OF SERVICES OR PROCEDURES:** When a patient is referred to radiologists or other health care providers for services covered in the Radiology Section, the provider(s) shall evaluate the patient's problem and determine the services or procedures medically necessary. Such evaluations or necessary consultations with the referring health care providers are an integral part of the professional component and do not merit any additional charges. **No payment shall be made for excessive or inappropriate x-rays taken on initial or subsequent visits.**
7. **MULTIPLE PROCEDURES:** It is appropriate to designate multiple procedures that are rendered on the same day by separate entries. Use modifier -51 to reflect multiple procedures except for the Add-On Codes.
8. **SEPARATE PROCEDURE:** Some of the procedures or services listed are commonly carried out as an integral component of a total service or procedure and are identified by the inclusion of the term "separate procedure." The codes designated as "separate procedure" should not be reported in addition to the code for the total procedure or service of which it is considered an integral component.

RADIOLOGY GROUND RULES

(Including Nuclear Medicine and Diagnostic Ultrasound)

However, when a procedure or service that is designated as a "separate procedure" is carried out independently or considered to be unrelated or distinct from other procedures/services provided at that time, it may be reported by itself, or in addition to other procedures/services by appending modifier -59 to the specific "separate procedure" code to indicate that the procedure is not considered to be a component of another procedure, but is a distinct, independent procedure. This may represent a different session or patient encounter, different procedure or surgery, different site or organ system, separate incision/excision, separate lesion, or separate injury (or area of injury in extensive injuries).

- 9. ADD-ON CODES:** Certain codes, by the nature of their description and the unit values assigned, have already been reduced, as they are not to be billed as primary procedures. For a complete list of the codes which are considered to be add-on codes, refer to the appropriate appendix found within the most recent publication of the **AMA Current Procedural Terminology (CPT)**.

- 10. MATERIALS SUPPLIED BY HEALTH CARE PROVIDER:** Supplies and materials provided by the health care provider (e.g., sterile trays, drugs) over and above those usually included with the office visit or other services rendered may be listed separately. The statement of charges will need to reflect any drugs, trays, supplies, and materials that were provided. Payment shall not exceed the cost of the item(s) to the health care provider plus 25% of the cost or the cost of the item(s) plus \$15.00 per item, **whichever is less**. Use procedure code 99070.

The Unit Values in this section do not include radiopharmaceutical or other radionuclide material costs. List the name and dosage of radiopharmaceutical material and cost.

- 11. INJECTION PROCEDURES:** Charges for injection procedures are to include all usual pre- and post-injection care specifically related to the injection procedure, necessary local anesthesia, placement of needle or catheter, and injection of contrast media. Vascular injection procedures are listed under the Cardiovascular Subsection of the Surgery Section, procedure codes 36000-36299. Other injection procedures are listed in pertinent sections.

- 12. PROCEDURES LISTED WITHOUT SPECIFIED MAXIMUM ALLOWANCE:** "BR" in the unit value column indicates that the amount charged for this service is to be determined "by report" because the service is too unusual, or variable to be assigned a Unit Value. Pertinent information should be furnished concerning the nature, extent, and need for the procedure or service, the time, skill, and equipment necessary, etc. Additional items which may be helpful might include: complexity of symptoms, final diagnosis, pertinent physical findings, diagnostic and therapeutic procedures, concurrent problems, and follow-up care.

- 13. UNLISTED SERVICE OR PROCEDURE:** When an unlisted service or procedure is performed, the procedure should be identified and the amount charged substantiated "by report" (BR). Unlisted service or procedure codes usually end in "99."

- 14. MODIFIERS:** Procedure codes for radiology services may be modified under certain circumstances. The circumstances are to be identified by the addition of a hyphen and the appropriate two digit modifier code. Refer to Appendix A - Modifiers for a list of modifiers that may be used.

- 15. COST CONTAINMENT:** Nothing in this section shall preclude an employer (or insurance carrier) from entering into payment agreements to promote the continuity of care and the reduction of health care costs. Such payment agreements, if less, will supersede the limitation amounts specified herein. Please refer to K.S.A. 44-510i(e) for further clarification, if necessary.

CONVERSION FACTOR = \$63.15

RADIOLOGY
 (CONVERSION FACTOR = \$63.15)

CODE	PC/TC	UNIT VALUE
70010	40/60	6.19
70015	40/60	3.09
70030	40/60	0.68
70100	40/60	0.79
70110	40/60	1.00
70120	40/60	0.91
70130	40/60	1.30
70134	40/60	1.25
70140	40/60	0.92
70150	40/60	1.18
70160	40/60	0.78
70170	40/60	1.42
70190	40/60	0.95
70200	40/60	1.21
70210	40/60	0.90
70220	40/60	1.17
70240	40/60	0.70
70250	40/60	0.99
70260	40/60	1.42
70300	40/60	0.44
70310	40/60	0.69
70320	40/60	1.14
70328	40/60	0.76
70330	40/60	1.22
70332	40/60	2.99
70336	20/80	13.83
70350	40/60	0.65
70355	40/60	0.89
70360	40/60	0.68
70370	40/60	1.81
70371	40/60	3.38
70373	40/60	2.49
70380	40/60	0.95
70390	40/60	2.41
70450	20/80	6.14
70460	20/80	7.51
70470	20/80	9.19
70480	20/80	6.73
70481	20/80	7.85
70482	20/80	9.43
70486	20/80	6.53
70487	20/80	7.75
70488	20/80	9.38
70490	20/80	6.73
70491	20/80	7.85
70492	20/80	9.42
70496	20/80	13.58
70498	20/80	13.58
70540	20/80	13.44
70542	20/80	16.13
70543	20/80	28.68
70544	20/80	13.44

CODE	PC/TC	UNIT VALUE
70545	20/80	13.43
70546	20/80	25.47
70547	20/80	13.43
70548	20/80	13.43
70549	20/80	25.47
70551	20/80	13.83
70552	20/80	16.59
70553	20/80	29.44
70557	20/80	20.55
70558	20/80	22.70
70559	20/80	22.80
71010	40/60	0.74
71015	40/60	0.83
71020	40/60	0.96
71021	40/60	1.15
71022	40/60	1.20
71023	40/60	1.36
71030	40/60	1.25
71034	40/60	2.16
71035	40/60	0.79
71040	40/60	2.34
71060	40/60	3.35
71090	40/60	2.56
71100	40/60	0.91
71101	40/60	1.08
71110	40/60	1.20
71111	40/60	1.38
71120	40/60	0.97
71130	40/60	1.05
71250	20/80	7.81
71260	20/80	9.15
71270	20/80	11.20
71275	20/80	15.41
71550	20/80	13.65
71551	20/80	16.34
71552	20/80	28.66
71555	20/80	14.28
72010	40/60	1.70
72020	40/60	0.65
72040	40/60	0.94
72050	40/60	1.37
72052	40/60	1.69
72069	40/60	0.82
72070	40/60	0.99
72072	40/60	1.08
72074	40/60	1.27
72080	40/60	1.01
72090	40/60	1.09
72100	40/60	1.01
72110	40/60	1.39
72114	40/60	1.75
72120	40/60	1.25

CODE	PC/TC	UNIT VALUE
72125	20/80	7.81
72126	20/80	9.11
72127	20/80	11.06
72128	20/80	7.81
72129	20/80	9.12
72130	20/80	11.06
72131	20/80	7.81
72132	20/80	9.11
72133	20/80	11.06
72141	20/80	13.99
72142	20/80	16.79
72146	20/80	15.28
72147	20/80	16.78
72148	20/80	15.12
72149	20/80	16.60
72156	20/80	29.73
72157	20/80	29.71
72158	20/80	29.44
72159	20/80	15.46
72170	40/60	0.78
72190	40/60	1.00
72191	20/80	14.91
72192	20/80	7.72
72193	20/80	8.79
72194	20/80	10.59
72195	20/80	13.66
72196	20/80	16.34
72197	20/80	28.90
72198	20/80	14.26
72200	40/60	0.78
72202	40/60	0.92
72220	40/60	0.85
72240	40/60	6.24
72255	40/60	5.77
72265	40/60	5.41
72270	40/60	8.24
72275	40/60	3.32
72285	40/60	10.40
72295	40/60	9.42
73000	40/60	0.76
73010	40/60	0.78
73020	40/60	0.70
73030	40/60	0.86
73040	40/60	2.96
73050	40/60	0.99
73060	40/60	0.85
73070	40/60	0.75
73080	40/60	0.85
73085	40/60	2.98
73090	40/60	0.76
73092	40/60	0.73
73100	40/60	0.73

CPT only copyright 2004 American Medical Association. All Rights Reserved.

RADIOLOGY

(CONVERSION FACTOR = \$63.15)

CODE	PC/TC	UNIT VALUE
73110	40/60	0.79
73115	40/60	2.43
73120	40/60	0.73
73130	40/60	0.79
73140	40/60	0.62
73200	20/80	6.71
73201	20/80	7.81
73202	20/80	9.49
73206	20/80	13.83
73218	20/80	13.44
73219	20/80	16.14
73220	20/80	28.68
73221	20/80	13.44
73222	20/80	16.13
73223	20/80	28.68
73225	20/80	14.10
73500	40/60	0.73
73510	40/60	0.90
73520	40/60	1.07
73525	40/60	2.97
73530	40/60	0.94
73540	40/60	0.89
73542	40/60	3.01
73550	40/60	0.85
73560	40/60	0.78
73562	40/60	0.86
73564	40/60	0.96
73565	40/60	0.75
73580	40/60	3.50
73590	40/60	0.78
73592	40/60	0.73
73600	40/60	0.73
73610	40/60	0.79
73615	40/60	2.97
73620	40/60	0.73
73630	40/60	0.79
73650	40/60	0.71
73660	40/60	0.62
73700	20/80	6.71
73701	20/80	7.81
73702	20/80	9.48
73706	20/80	13.96
73718	20/80	13.44
73719	20/80	16.13
73720	20/80	28.67
73721	20/80	13.44
73722	20/80	16.13
73723	20/80	28.68
73725	20/80	14.29
74000	40/60	0.79
74010	40/60	0.93
74020	40/60	1.03

CODE	PC/TC	UNIT VALUE
74022	40/60	1.21
74150	20/80	7.59
74160	20/80	8.95
74170	20/80	10.84
74175	20/80	15.02
74181	20/80	13.65
74182	20/80	16.34
74183	20/80	28.90
74185	20/80	14.26
74190	40/60	2.04
74210	40/60	1.75
74220	40/60	1.88
74230	40/60	2.10
74235	40/60	4.40
74240	40/60	2.49
74241	40/60	2.52
74245	40/60	3.76
74246	40/60	2.69
74247	40/60	2.74
74249	40/60	3.96
74250	40/60	2.02
74251	40/60	2.33
74260	40/60	2.25
74270	40/60	2.76
74280	40/60	3.71
74283	40/60	5.47
74290	40/60	1.21
74291	40/60	0.72
74300	40/60	1.43
74301	40/60	0.83
74305	40/60	1.41
74320	40/60	4.06
74327	40/60	2.83
74328	40/60	4.28
74329	40/60	4.28
74330	40/60	4.55
74340	40/60	3.50
74350	40/60	4.36
74355	40/60	3.80
74360	40/60	4.08
74363	40/60	7.64
74400	40/60	2.46
74410	40/60	2.73
74415	40/60	2.91
74420	40/60	3.26
74425	40/60	1.88
74430	40/60	1.55
74440	40/60	1.71
74445	40/60	2.77
74450	40/60	2.00
74455	40/60	2.14
74470	40/60	2.06

CODE	PC/TC	UNIT VALUE
74475	40/60	5.03
74480	40/60	5.03
74485	40/60	4.06
74710	40/60	1.58
74740	40/60	1.91
74742	40/60	4.16
74775	40/60	2.40
75552	20/80	13.99
75553	20/80	14.51
75554	20/80	14.33
75555	20/80	14.24
75556	20/80	BR
75600	40/60	13.95
75605	40/60	14.84
75625	40/60	14.83
75630	40/60	16.33
75635	20/80	19.60
75650	40/60	15.31
75658	40/60	15.10
75660	40/60	15.08
75662	40/60	15.58
75665	40/60	15.09
75671	40/60	15.55
75676	40/60	15.09
75680	40/60	15.55
75685	40/60	15.06
75705	40/60	16.29
75710	40/60	14.85
75716	40/60	15.06
75722	40/60	14.85
75724	40/60	15.36
75726	40/60	14.81
75731	40/60	14.82
75733	40/60	15.06
75736	40/60	14.83
75741	40/60	15.05
75743	40/60	15.52
75746	40/60	14.82
75756	40/60	14.88
75774	40/60	13.75
75790	40/60	3.97
75801	40/60	6.85
75803	40/60	7.30
75805	40/60	7.56
75807	40/60	8.03
75809	40/60	1.47
75810	40/60	14.81
75820	40/60	1.98
75822	40/60	3.02
75825	40/60	14.83
75827	40/60	14.82
75831	40/60	14.83

RADIOLOGY

(CONVERSION FACTOR = \$63.15)

CODE	PC/TC	UNIT VALUE
75833	40/60	15.32
75840	40/60	14.84
75842	40/60	15.29
75860	40/60	14.83
75870	40/60	14.83
75872	40/60	14.89
75880	40/60	1.97
75885	40/60	15.23
75887	40/60	15.22
75889	40/60	14.81
75891	40/60	14.81
75893	40/60	14.00
75894	40/60	27.22
75896	40/60	23.92
75898	40/60	3.39
75900	40/60	22.76
75901	40/60	2.81
75902	40/60	2.68
75940	40/60	14.01
75945	40/60	5.38
75946	40/60	3.01
75952	40/60	64.20
75953	40/60	19.40
75954	40/60	31.80
75960	40/60	16.82
75961	40/60	16.90
75962	40/60	17.33
75964	40/60	9.33
75966	40/60	18.41
75968	40/60	9.33
75970	40/60	13.29
75978	40/60	17.32
75980	40/60	7.67
75982	40/60	8.40
75984	40/60	3.04
75989	40/60	4.95
75992	40/60	17.33
75993	40/60	9.33
75994	40/60	18.41
75995	40/60	18.40
75996	40/60	9.32
75998	40/60	1.93
76000	40/60	1.61
76001	40/60	3.70
76003	40/60	2.12
76005	40/60	2.17
76006	40/60	0.65
76010	40/60	0.79
76012	40/60	5.37
76013	40/60	9.70
76020	40/60	0.80
76040	40/60	1.20

CODE	PC/TC	UNIT VALUE
76061	40/60	1.68
76062	40/60	2.26
76065	40/60	1.74
76066	40/60	1.60
76070	20/80	3.45
76071	20/80	3.30
76075	40/60	3.67
76076	40/60	1.11
76077	40/60	1.04
76078	40/60	1.08
76080	40/60	1.85
76082	40/60	0.52
76083	40/60	0.52
76086	40/60	3.26
76088	40/60	4.47
76090	40/60	2.07
76091	40/60	2.57
76092	40/60	2.26
76093	20/80	20.77
76094	20/80	27.38
76095	40/60	9.73
76096	40/60	2.15
76098	40/60	0.66
76100	40/60	2.12
76101	40/60	2.30
76102	40/60	2.64
76120	40/60	1.64
76125	40/60	1.20
76140	40/60	BR
76150	40/60	0.44
76350	40/60	1.04
76355	20/80	10.35
76360	20/80	10.27
76362	20/80	15.20
76370	20/80	4.28
76375	40/60	3.94
76380	20/80	5.02
76390	20/80	13.54
76393	20/80	13.84
76394	20/80	18.62
76400	20/80	13.98
76496	40/60	BR
76497	20/80	BR
76498	20/80	BR
76499	40/60	BR
76506	40/60	2.42
76510	40/60	4.51
76511	40/60	3.47
76512	40/60	3.29
76513	40/60	2.59
76514	40/60	0.32
76516	40/60	2.08

CODE	PC/TC	UNIT VALUE
76519	40/60	2.17
76529	40/60	2.04
76536	40/60	2.27
76604	40/60	2.13
76645	40/60	1.85
76700	40/60	3.20
76705	40/60	2.31
76770	40/60	3.09
76775	40/60	2.30
76778	40/60	3.09
76800	40/60	3.02
76801	40/60	3.59
76802	40/60	2.33
76805	40/60	3.59
76810	40/60	2.63
76811	40/60	6.66
76812	40/60	3.98
76815	40/60	2.41
76816	40/60	2.38
76817	40/60	2.62
76818	40/60	3.20
76819	40/60	2.79
76820	40/60	2.45
76821	40/60	2.73
76825	40/60	4.42
76826	40/60	1.91
76827	40/60	2.66
76828	40/60	2.00
76830	40/60	2.57
76831	40/60	2.62
76856	40/60	2.57
76857	40/60	2.29
76870	40/60	2.50
76872	40/60	3.07
76873	40/60	4.40
76880	40/60	2.31
76885	40/60	2.63
76886	40/60	2.35
76930	40/60	2.56
76932	40/60	2.56
76936	40/60	9.41
76937	40/60	0.91
76940	40/60	4.75
76941	40/60	3.49
76942	40/60	3.83
76945	40/60	2.54
76946	40/60	2.16
76948	40/60	2.15
76950	40/60	2.18
76965	40/60	7.71
76970	40/60	1.66
76975	40/60	2.75

CPT only copyright 2004 American Medical Association. All Rights Reserved.

RADIOLOGY

(CONVERSION FACTOR = \$63.15)

CODE	PC/TC	UNIT VALUE
76977	40/60	0.95
76986	40/60	4.48
76999	40/60	BR
77261	40/60	1.97
77262	40/60	2.97
77263	40/60	4.41
77280	40/60	4.61
77285	40/60	7.31
77290	40/60	9.00
77295	40/60	35.67
77299	40/60	BR
77300	40/60	2.26
77301	40/60	40.36
77305	40/60	2.94
77310	40/60	3.90
77315	40/60	4.94
77321	40/60	5.55
77326	40/60	3.77
77327	40/60	5.55
77328	40/60	8.08
77331	40/60	1.71
77332	40/60	2.15
77333	40/60	3.15
77334	40/60	5.12
77336	40/60	3.14
77370	40/60	3.67
77399	40/60	BR
77401	40/60	1.88
77402	40/60	1.88
77403	40/60	1.88
77404	40/60	1.88
77406	40/60	1.88
77407	40/60	2.21
77408	40/60	2.21
77409	40/60	2.21
77411	40/60	2.21
77412	40/60	2.46
77413	40/60	2.46
77414	40/60	2.46
77416	40/60	2.46
77417	40/60	0.63
77418	40/60	18.11
77427	40/60	4.54
77431	40/60	2.58
77432	40/60	11.23
77470	40/60	14.61
77499	40/60	BR
77520	40/60	BR
77522	40/60	BR
77523	40/60	BR
77525	40/60	BR
77600	40/60	5.35

CODE	PC/TC	UNIT VALUE
77605	40/60	7.19
77610	40/60	5.36
77615	40/60	7.14
77620	40/60	5.49
77750	40/60	8.13
77761	40/60	7.72
77762	40/60	11.64
77763	40/60	16.47
77776	40/60	8.34
77777	40/60	14.70
77778	40/60	20.71
77781	40/60	23.63
77782	40/60	24.78
77783	40/60	26.46
77784	40/60	29.04
77789	40/60	2.01
77790	40/60	1.96
77799	40/60	BR
78000	40/60	1.29
78001	40/60	1.74
78003	40/60	1.48
78006	40/60	3.18
78007	40/60	3.40
78010	40/60	2.47
78011	40/60	3.16
78015	40/60	3.64
78016	40/60	4.80
78018	40/60	6.91
78020	40/60	2.28
78070	40/60	5.52
78075	40/60	6.74
78099	40/60	BR
78102	40/60	2.92
78103	40/60	4.38
78104	40/60	5.39
78110	40/60	1.28
78111	40/60	3.02
78120	40/60	2.16
78121	40/60	3.49
78122	40/60	5.47
78130	40/60	3.84
78135	40/60	6.01
78140	40/60	4.98
78160	40/60	4.34
78162	40/60	4.03
78170	40/60	6.16
78172	40/60	2.88
78185	40/60	3.05
78190	40/60	7.57
78191	40/60	8.55
78195	40/60	5.96
78199	40/60	BR

CODE	PC/TC	UNIT VALUE
78201	40/60	3.10
78202	40/60	3.72
78205	40/60	7.20
78206	40/60	7.35
78215	40/60	3.75
78216	40/60	4.44
78220	40/60	4.58
78223	40/60	5.01
78230	40/60	2.93
78231	40/60	4.06
78232	40/60	4.37
78258	40/60	4.04
78261	40/60	5.28
78262	40/60	5.41
78264	40/60	5.42
78267	40/60	0.29
78268	40/60	2.48
78270	40/60	1.93
78271	40/60	2.02
78272	40/60	2.82
78278	40/60	6.48
78282	40/60	2.12
78290	40/60	4.15
78291	40/60	4.44
78299	40/60	BR
78300	40/60	3.48
78305	40/60	5.00
78306	40/60	5.68
78315	40/60	6.43
78320	40/60	7.66
78350	40/60	1.10
78351	40/60	2.03
78399	40/60	BR
78414	40/60	2.10
78428	40/60	3.48
78445	40/60	2.65
78455	40/60	5.20
78456	40/60	5.65
78457	40/60	3.87
78458	40/60	5.49
78459	40/60	7.07
78460	40/60	3.68
78461	40/60	6.68
78464	40/60	8.95
78465	40/60	14.45
78466	40/60	3.72
78468	40/60	4.95
78469	40/60	6.76
78472	40/60	7.17
78473	40/60	10.72
78478	40/60	2.53
78480	40/60	2.52

RADIOLOGY
(CONVERSION FACTOR = \$63.15)

CODE	PC/TC	UNIT VALUE
78481	40/60	6.88
78483	40/60	10.34
78491	40/60	7.17
78492	40/60	8.93
78494	40/60	9.03
78496	40/60	8.07
78499	40/60	BR
78580	40/60	4.63
78584	40/60	4.73
78585	40/60	7.44
78586	40/60	3.28
78587	40/60	3.62
78588	40/60	4.88
78591	40/60	3.54
78593	40/60	4.30
78594	40/60	5.96
78596	40/60	9.18
78599	40/60	BR
78600	40/60	3.63
78601	40/60	4.28
78605	40/60	4.31
78606	40/60	4.96
78607	40/60	8.61
78608	40/60	BR
78609	40/60	BR
78610	40/60	2.10
78615	40/60	4.65
78630	40/60	6.25
78635	40/60	3.54
78645	40/60	4.39
78647	40/60	7.47
78650	40/60	5.73
78660	40/60	2.97
78699	40/60	BR
78700	40/60	3.83
78701	40/60	4.41
78704	40/60	5.18
78707	40/60	6.02
78708	40/60	6.37
78709	40/60	6.64
78710	40/60	7.13
78715	40/60	2.10
78725	40/60	2.42
78730	40/60	2.04
78740	40/60	3.03
78760	40/60	3.73
78761	40/60	4.35
78799	40/60	BR
78800	40/60	4.50
78801	40/60	5.55
78802	40/60	7.02
78803	40/60	8.42

CODE	PC/TC	UNIT VALUE
78804	40/60	12.84
78805	40/60	4.59
78806	40/60	7.97
78807	40/60	8.42
78811	40/60	6.60
78812	40/60	8.16
78813	40/60	8.44
78814	40/60	9.24
78815	40/60	10.20
78816	40/60	10.44
78890	40/60	1.45
78891	40/60	2.90
78999	40/60	BR
79005	40/60	5.24
79101	40/60	5.47
79200	40/60	5.53
79300	40/60	3.82
79403	40/60	7.65
79440	40/60	5.55
79445	40/60	6.12
79999	40/60	BR